


Buyers of this company:



www.LogoWeb.net



OPTC




دانشگاه زنجان



واحد علوم و تحقیقات تهران



دانشگاه ارومیه



دانشگاه محقق اردبیلی



دانشگاه حکیم سبزواری



دانشگاه بوعلی سینا

OPTC

Types of Spectrometer Models with Prices and Applications:

Application:

Light source emission

Coating Thickness Measurement

Absorption measurement

Transmission measurement

Reflection measurement

Diffuse reflection

Fluorescence more

Raman

Plasma

Lumens measurement

Color measurement

OPTC

Florescence spectrometer FS


Specification

Optical bench	Czerny turner
Wavelength	340-1000nm
Optical resolution	8nm
Slit	200 micron
Signal to noise	400:1
Grating	600 line/holographic grating
Linear variable sorting filter	Yes-LVSF
Fiber connector	SMA 905
Integration time	10us-60s
External/internal trigger	Yes
External trigger	TTL 5Vdc
A/D resolution	16bit
Detector	Linear CCD Hamamatsu
Pixels	2048
Temperature range	0-40 °
Dimensions	80*110*60 mm
Lamp life	LED 380nm 2000 h+LED 320nm
Weight	1.5 g

OPTC



Software:





[Tel:03155579058](tel:03155579058)

Mobile: 09136425874

Email:optcompany@yahoo.com

OPTC



OPTC

