

Design and Manufacture of Oil and Gas Equipment

Core Flooding Apparatus

A core flooding system is a system that flows a fluid (liquid or gas) through a core sample at controlled conditions, and measures flow parameters. The Core Flood System enables to perform:

- Liquid permeability measurement
- Unsteady state 2-phase relative permeability
- EOR studies such as water flooding, gas flooding, chemical flooding and etc.
- Acidizing studies
- Fluid distribution in multi-layered reservoirs
- Formation damage tests
- Stimulation studies

Tests can be conducted using reservoir or outcrop core material at specified temperatures and pressures. The unique design of the system allows an easy access to all components.





Design and Manufacture of Oil and Gas Equipment

Core Flooding Apparatus

Features:

Maximum working pressure: 700 bar (10,000 psi)

Maximum confining pressure: 700 bar (10,000 psi)

Maximum working temperature: 150°C Range of flow rate: 0.001 to 100 cc/min

Core length: 7 to 30 cm

Material: Stainless steel/ Hasteloy (upon request)

Power supply: 220 VAC, 50/60 Hz

Note: The aforementioned features can be changed upon the request.

Components:

- Core holder(s)
- Transfer vessel(s)
- Dual injection pump
- Hand pump(s)
- Back pressure regulator
- Data acquisition
- Differential pressure transducer
- Oven



